STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING AMENDED REPORT															
APPLICATION FOR PERMIT TO DRILL										1. WELL NAME and NUMBER Ute Tribal 2-22-4-3W					
2. TYPE (RILL NEW WELL (I	n REENT	ER P&A	WELL DEEPE	N WELL	3. FIELD OR WILDCAT								
4. TYPE (Oil			I Methane Well: NO					5. UNIT or COMMUN			EEMENT	NAME	
6. NAME	OF OPERATOR	2								7. OPERATOR PHON		6 402E			
8. ADDRI	NEWFIELD PRODUCTION COMPANY 435 646-4825 B. ADDRESS OF OPERATOR Rt 3 Box 3630 , Myton, UT, 84052 P. OPERATOR E-MAIL mcrozier@newfield.com														
	RAL LEASE N		KL 3 BOX 36.		ton, UT, 84052 11. MINERAL OWNE	RSHIP			_	12. SURFACE OWNE		iewiieia.co			
		-20-H62-6380	- 15 13		FEDERAL IND	IAN 值) STATE) FEE(0		DIAN	STATE		FEE (III)	
		OWNER (if box 1	Ken a		cy Moon					14. SURFACE OWNE					
15. ADDF	RESS OF SURF	ACE OWNER (if b		e') 64 Box 1	102, ,					16. SURFACE OWNE	ER E-MA	IL (if box	12 = 'fe	ee')	
	AN ALLOTTEE 2 = 'INDIAN')	OR TRIBE NAME			18. INTEND TO COM MULTIPLE FORMATI YES (Submit C	IONS	LE PRODUCTION		_	19. SLANT VERTICAL DIR	ECTION	AL (HORIZON	ITAL 🛑	
20. LOC	ATION OF WE	LL		FOO'	TAGES	QT	R-QTR	SECTI	ION	TOWNSHIP	R	ANGE	МЕ	RIDIAN	
LOCATION	ON AT SURFAC	CE	5	73 FNL	2125 FEL	N	IWNE	22		4.0 S	3	.0 W		U	
Top of U	ppermost Pro	ducing Zone	5	73 FNL	2125 FEL	N	IWNE	22		4.0 S	3	.0 W		U	
At Total	Depth		5	73 FNL	IL 2125 FEL NWNE		IWNE	22		4.0 S	3	3.0 W		U	
21. COUN		DUCHESNE		2	22. DISTANCE TO N	ANCE TO NEAREST LEASE LINE (Feet) 23. NUMBER OF ACRES IN DRILLING UN:					UNIT				
					25. DISTANCE TO N (Applied For Drilling	g or Co	mpleted)	ME POOL	_	26. PROPOSED DEP		TVD: 782	25		
27. ELEV	ATION - GROU	JND LEVEL		2	28. BOND NUMBER				29. SOURCE OF DRILLING WATER /						
		5501				RLB00	010462			WATER RIGHTS AP		. NUMBER 478	IF APPI	LICABLE	
					Hole, Casing,										
String Surf	Hole Size	Casing Size 8.625	Length 0 - 500	Weig			Max Mud 8.3	Wt.	Cement Class G			Sacks 229	Yield 1.17	Weight 15.8	
Prod	7.875	5.5	0 - 7825	17.			8.3	-	Prem	ium Lite High Stre	ngth	402	3.26	11.0	
										50/50 Poz		363	1.24	14.3	
					A	ТТАСН	IMENTS								
	VERIFY T	HE FOLLOWIN	G ARE ATT	ACHE	D IN ACCORDAN	CE WI	TH THE UTA	AH OIL	AND G	AS CONSERVATI	ON GE	NERAL F	RULES		
⊮ w	ELL PLAT OR	MAP PR <mark>EPA</mark> RED E	BY LICENSE	SURV	EYOR OR ENGINEER	R	COMPLETE DRILLING PLAN								
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER										
	DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY TOPOGRAPHICAL MAP														
NAME Mandie Crozier TITLE Regulatory Tech						Tech			PHON	IE 435 646-4825					
SIGNAT	URE				DATE 03/31/2011				EMAI	L mcrozier@newfield.	com				
	MBER ASSIGN 013506700				APPROVAL		Basgill								
									Pe	ermit Manager					

NEWFIELD PRODUCTION COMPANY UTE TRIBAL 2-22-4-3W NW/NE SECTION 22, T4S, R3W DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. <u>GEOLOGIC SURFACE FORMATION:</u>

Uinta formation of Upper Eocene Age

2. <u>ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:</u>

Uinta 0' - 1,795'
Green River 1,795'
Wasatch 6,825'
TD 7,825'

Base of Moderately Saline Ground Water @ 115'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 1,795' – 6,825' - Oil

Fresh water may be encountered in the Uinta Formation, but would not be expected below about 120'. All water shows and water bearing geologic units shall be reported to the geologic and engineering staff of the Vernal Office prior to running the next string of casing or before plugging orders are requested. All water shows must be reported within one (1) business day after being encountered.

All usable (<10,000 PPM TDS) water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling will be recorded by depth and adequately protected. This information shall be reported to the Vernal Office.

Detected water flows shall be sampled, analyzed, and reported to the geologic & engineering staff of the Vernal Office. The office may request additional water samples for further analysis. Usage of the State of Utah form *Report of Water Encountered* is acceptable, but not required.

The following information is requested for water shows and samples where applicable:

Location & Sampled Interval Date Sampled Flow Rate Temperature

Hardness pH

Water Classification (State of Utah)

Dissolved Iron (Fe) (ug/l)

Dissolved Magnesium (Mg) (mg/l)

Dissolved Bicarbonate (NaHCO₃) (mg/l)

Dissolved Sulfate (SO₄) (mg/l)

Dissolved Total Solids (TDS) (mg/l)

4. PROPOSED CASING PROGRAM

a. Casing Design

Size	Interval		\Mainlet	C	Cavallas	Design Factors			
Size	Тор	Bottom	Weight	Grade	Coupling	Burst	Collapse	Tension	
Surface casing	ng 0' 500' 24.0 J-55 STC		2,950	1,370	244,000				
8-5/8"	3-33	310	10.52	8.61	20.33				
Prod casing	٥,	7,825'	17.0	NI 00	LTC	7,740	6,280	348,000	
5-1/2"	1/2" 0' 7,825' 17.0 N-80 LTC	3.11	2.52	2.62					

Assumptions:

- 1) Surface casing max anticipated surface press (MASP) = Frac gradient gas gradient
- 2) Prod casing MASP (production mode) = Pore pressure gas gradient
- 3) All collapse calculations assume fully evacuated casing w/ gas gradient
- 4) All tension calculations assume air weight

Frac gradient at surface casing shoe =
Pore pressure at surface casing shoe =
Pore pressure at prod casing shoe =
Rose production =

13.0 ppg
8.33 ppg
8.33 ppg
9.115 psi/ft

All casing shall be new or, if used, inspected and tested. Used casing shall meet or exceed API standards for new casing.

All casing strings shall have a minimum of 1 (one) centralizer on each of the bottom three (3) joints.

b. Cement Design

126	F.III		Sacks	ОН	Weight	Yield (ft³/sk)
Job	Fill	Description	ft ³	Excess*	(ppg)	
Surface casing	500'	Class G w/ 2% CaCl	229 268	30%	15.8	1.17
Prod casing Lead	5,825'	Prem Lite II w/ 10% gel + 3% KCl	402 1312	30%	11.0	3.26
Prod casing Tail	2,000'	50/50 Poz w/ 2% gel + 3% KCl	363 451	30%	14.3	1.24

- *Actual volume pumped will be 15% over the caliper log
- Compressive strength of lead cement: 1800 psi @ 24 hours, 2250 psi @ 72 hours
- Compressive strength of tail cement: 2500 psi @ 24 hours

Hole Sizes: A 12-1/4" hole will be drilled for the 8-5/8" surface casing. A 7-7/8" hole will be drilled for the 5-1/2" production casing.

The 8-5/8" surface casing shall in all cases be cemented back to surface. In the event that during the primary surface cementing operation the cement does not circulate to surface, or if the cement level should fall back more than 8 feet from surface, then a remedial surface cementing operation shall be performed to insure adequate isolation and stabilization of the surface casing.

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

The operator's minimum specifications for pressure control equipment are as follows: The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a <u>2M</u> system, and individual components shall be operable as designed. Refer to Exhibit C for a diagram of BOP equipment that will be used on this well

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

From surface to ±500 feet will be drilled with an air/mist system. The air rig is equipped with a 6 ½" blooie line that is straight run and securely anchored. The blooie line is used with a discharge less than 100 ft from the wellbore in order to minimize the well pad size. The blooie line is not equipped with an automatic igniter or continuous pilot light and the compressor is located less than 100 ft from the well bore due to the low possibility of combustion with the air dust mixture. The trailer mounted compressor (capacity of 2000 CFM) has a safety shut-off valve which is located 15 feet from the air rig. A truck with 70 bbls of water is on stand by to be used as kill fluid, if necessary. From about ±350 feet to TD, a fresh water system will be utilized. Clay inhibition and hole stability will be achieved with a KCl substitute additive. This additive will be identified in the APD and reviewed to determine if the reserve pit shall be lined. This fresh water system will typically contain Total Dissolved Solids (TDS) of less than 3000 PPM. Anticipated mud weight is 8.4 lbs/gal. If necessary to control formation fluids or pressure, the system will be weighted with the addition of bentonite gel, and if pressure conditions warrant, with barite

No chromate additives will be used in the mud system on Federal and/or Indian lands without prior BLM approval to ensure adequate protection of fresh aquifers.

No chemicals subject to reporting under SARA Title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of this well.

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

Newfield Production will visually monitor pit levels and flow from the well during drilling operations.

7. **AUXILIARY SAFETY EQUIPMENT TO BE USED:**

Auxiliary safety equipment will be a Kelly Cock, bit float, and a TIW valve with drill pipe threads.

8. TESTING, LOGGING AND CORING PROGRAMS:

The logging program will consist of a Dual Induction, Gamma Ray and Caliper log from TD to base of surface casing @ 500' +/-, and a Compensated Neutron-Formation Density Log from TD to 3500' +-. A cement bond log will be run from PBTD to cement top. No drill stem testing or coring is planned for this well.


9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:


No abnormal temperatures or pressures are anticipated. No hydrogen sulfide has been encountered or is known to exist from previous drilling in the area at this depth. Maximum anticipated bottomhole pressure will approximately equal total depth in feet multiplied by a 0.433 psi/foot gradient.


10. <u>ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:</u>


It is anticipated that the drilling operations will commence the third quarter of 2011, and take approximately seven (7) days from spud to rig release.












Pi well number	43013506	700000		-	· · · · · · · · · · · · · · · · · · ·		1	TH				
	8	Fr		2	• 3 •		J .		2	2 2		
	ormple#	Prochema On Wall Frodering Oas Wall Whater Injudien Wall Ory Hole Ory Hole Ferning Abanthoned Physical & Attractioned Physical & Attractioned Shirt in	Wather Source Veall Washer Disposal Veall Infection Stations Cletters	R	TUS	1.	<u>.</u>	± "	ے ء	7	9	1
	Metadesh Medis Localin Localin Sarbos Sard Oritory Washing on Com	Prochestry On Wall Prochestry Gen Wall Water Injudien Wall On Hole Temporarily Abania Physing & Abrandan Shat in	Water Capecal V		43 22-62			e e	£	R	NEWFIELD SALE STREET STREET	Exhibit A
	Serki V Location Surbos Offeny Wasting	Proceeds Proceeds White In Orr Hote Tempora Physica Shut In	Mahra Mahra Mahadalan Mahadalan	8	. %	n +1	4 ²	×	V.		W. W.	E.
	New			+1	42	· · · ·		8	я		Z	2
		p z	ε	2	4 45		1					
	. 2	- "		1 1	1	-1	*5	z 4	,,	2.	1.	-
				1 7	કુ નાં નાં કહ્યું મુખ્ય નાં કહ્યું	- =	2					
		2 2	£	1	4-100	14 4 .	*j	ef g	£	2		
				3 33	1 4 1 4 a		2					
	r 2	v <u>−</u> u	.2	1	10 d a	1		E R	- 20			E 8
		9		B 50 2	74 % 6	n 1	. 6	R		I I		5
		1 = E	R	1	1 4 9 130	ा विश्व	र्ग र्ग	55 5 7	-1			
				188	1. 444	र स व न रहेर	4.74 YE	<u>~</u> ~	2 24	8		
		2 8	1 E	* 1 - 4 · 8 ·	क्षा भव व	राम् जन व स्व राम्	**		# +2 · 2			1
	-			0 0 0	1 45 45 2.	र्मास्य व व व र		47 14	St. 40. A.	A	- SW	•
		9 1	1 1 1	स्ति । स्व	क्षेत्र सम्बद्धाः १६१९४५	भारतेय स्टब्स् भारतेय स्टब्स्	ej ej	1 1 1 0	+5			
			R 4	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1919 / 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	न्त्रसन्	4 4	न न न न	*	7.	0.00	-
		p 2,		** ** * * * * * * * * * * * * * * * *	THE TABLE OF	सुर्या के व	नं नं चं द	ef ef el e		-}		- 0
			9 13 4	A STATE	the things of	संभित्र विश्वेष		स्टब्स् में स्ट स्टब्स्		a	े	2
		z 19,	100	19 1	1 5 9 9 9 9 1	न भवन वंश	10 10 10 10 10 10 10 10 10 10 10 10 10 1	e; 8€ €				-
		4		Ren's	अ व व व व व	die in	री वृत्युर्व च सी प्र इ.स.च्या	ri "Loj——	<u> </u>	я		=
	n 9	e s	P-1 15-2	11111	A 80 4 42.133	करते संस्	4 ² 4 4	* 12 *7 eg eg eg	-			-
				TALL OF	1	इस वर्ग प्र	May 1	2200	:: :	Ä	-	5
			19/1/201	A POLICE	VIII O	181	63 X 16 X	17 eg e2	-			10
				JULY SE X	4 X54 1 - 14		4 4 4 4	र्ग र्ग सक्त र्ग	-th R	R	•	
		2 8	45 al	SPERS IN	HOVE A	13 Jan	19/10	+ + + + + + + + + + + + + + + + + + +	4			-
		10 d	1.1	102 45 45 W	A Service		जुन्दान । प्रमुख	444	es fa	2		
		g e	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Marie Park		YANG	115. 1	4 48 2	100			<u> </u>
		-	3 3 3 4	YUN	TO THE	Sa cloud	4 4 -4	4 44 4	4 0	ñ		
	. 2	D 42 45 42	4 4 4	9 81 4	NAME OF THE PARTY	1- 3-0610	114 4	4 4 4	•!			
			न संस	200	KROLI	aday a	1 4	444	2 30	×		2
		2 8	A STA	1	W. Piers		# 1 424	+ >1	3	- 9		
			4 000 2	CONT	A THE	M. M.	N. C.	4041	12	R	*	
	0 9	2 2	a a	4834	S. W. S.	XIII SI	TAN	4 1154	2			
			The state of the s	+1/14	NAME OF			144		7		2
				E		PULL T	1998 2	4 5 1 4	43	1		
			*	F - 220		त्रवद्भाव	न न्यं न नानुन्ध निन्द्र	1 2 4 3	E a	a		
	2	5 E	g a	44 1	然长 為	क्षित क	न न न न	भू न भून व्यं न के के	C. B		1	
			192 5	2		1000	ने ने चे चे	45 min 45	B	R	n	.0
			4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	RICE	N. N. W.	क्षा भारत तथ	124 9	1 2	110	1175		
F		2 2	48 TE	ý,	4370	4 75 74	वस्तुत्र	444	8-213 8		ø	
				188.	" Val	TO THE	1 49 4	i of the		:M		
-	- 3	2 %	× 1				144	प्रमुख	713			2
		3		10	88S-1215E	10 10 10	14 14	44 44	5 N.5 . 5 . 3	A	1	ų .
A	. 2	H3M.	z n	11	1 14347	1 4 20 (14)				160		
-		<u></u>		7		of the Visit	14714	20 2	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	R	2	
-	. 2	e F	*	x	9	्राजन्य स	Ja 194	1 · 1 · 1	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			9
H-		* 2	R	я		B	MEI 4	10 1		0.000	0	
R			100					11	B (*	-		7.5



2-22-4-36

MEMORANDUM
of
EASEMENT, RIGHT-OF-WAY
and
SURFACE USE AGREEMENT

This Easement, Right-of-Way and Surface Use Agreement ("Agreement") is entered into this 17th day of March, 2010 by and between Ken and Nancy Moon, whose address is HC 64 box 102, Duchesne, Utah 84021, ("Surface Owner," whether one or more) and Newfield Production Company, a Texas corporation ("NEWFIELD"), with offices at 1001 Seventeenth Street, Suite 2000, Denver, Colorado 80202, covering certain lands, (the "Lands") situated in Duchesne County, Utah described as follows:

Township 4 South, Range 3 West
Section 15: E/2
Section 22: E/2
Township 4 South, Range 2 West
Section 7: S½N½; S½

Duchesne County, Utah

For and in consideration of the sum of ten dollars (\$10.00), and other valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the undersigned hereby agree to the terms and provisions set forth as follows:

1. Compensation for Well; Release of All Claims

NEWFIELD shall pay to Surface Owner the sum as set forth in and according to the terms of that certain Letter Agreement for Easement, Right-of Way and Surface Use by and between Surface Owner and NEWFIELD, dated March 17, 2010 as full payment and satisfaction for any and all detriment, depreciation, injury or damage of any nature to the Lands or growing crops thereon that may occur as a result of NEWFIELD's drilling or completion operations or its continuing activities for the production or transportation of oil, gas, or other hydrocarbons or products associated with the foregoing including, but not limited to, surface use, access, pipelines, gathering lines, pipeline interconnections, and any and all other reasonable or customary uses of land related to said operations or activities.

Grant of Right of Way and Easement

Surface Owner hereby grants, bargains, leases, assigns, and conveys to NEWFIELD an easement and right-of-way for the purpose of construction, using and maintaining access roads, locations for surface equipment and subsurface gathering lines for each well drilled upon the Lands, pipelines, and pipeline interconnections for two years from date of this agreement and so long thereafter as NEWFIELD's oil and gas leases remain in effect.

This Agreement shall be binding upon the respective heirs, executors, administrators, successors, and assigns of the undersigned.

These Parties hereto have executed this document effective as of the day first above written.

KEN AND NANCY MOON	NEWFIELD PRODUCTION COMPANY
By: Asian Kel Moon, private surface owner	By: Dan Shewmake, Vice President-Development
By: Nancy Meon, private surface owner	
STATE OF UTAH) SS COUNTY OF Duchene)	a the the
This instrument was acknowledged before Nancy Moon, private surface owners.	ore me this 24th day of March, 2010 by Ken and
Witness my hand and official seal.	
My commission expires 4/8/7013	Notary Public
STATE OF COLORADO)	
)ss COUNTY OF Denver)	
This instrument was acknowledged before Dan Shewmake, Vice President-Development	ore me this, 2010 by a Texas corporation, on behalf of the corporation.
Witness my hand and official seal.	
	Notary Public
My commission expires	

EXHIBIT D

Township 4 South, Range 3 West

Section 15: E/2 Section 22: E/2

Township 4 South, Range 2 West

Section 7: S½N½; S½

Duchesne County, Utah

ARCHAEOLOGICAL & PALEOTOLOGICAL REPORT WAIVER

For the above referenced location; Ken and Nancy Moon, the private surface owners. (Having a Surface Owner Agreement with Newfield Production Company)

Ken Moon, representing this entity does agree to waive the request from the State of Utah and Bureau of Land Management for an Archaeological/Cultural and Paleotological Resource Survey for any wells covered by the Surface Use Agreement dated 3/17/2010 between the above said private land owner and Newfield Production. This waiver hereby releases Newfield Production Company from this request.

ed Moon

Date

Private Surface Owner

Brad Mecham

Date

Newfield Production Company

NEWFIELD PRODUCTION COMPANY UTE TRIBAL 2-22-4-3W NW/NE SECTION 22, T4S, R3W DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

<u>MULTI-POINT SURFACE USE & OPERATIONS PLAN</u>

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Ute Tribal 2-22-4-3W located in the NW 1/4 NE 1/4 Section 22, T4S, R3W, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.4 miles ± to the junction of this highway and UT State Hwy 53; proceed in a southwesterly direction approximately 6.4 miles to it's junction with an existing road to the southwest; proceed in a southwesterly direction approximately 2.7 miles to it's junction with an existing road to the northwest; proceed in a northwesterly direction approximately 1.5 miles to it's junction with an existing road to the northeast; proceed in a northwesterly direction approximately 0.8 miles to it's junction with an existing road to the northwest; proceed in a northwesterly direction approximately 0.3 miles to it's junction with the beginning of the proposed access road to the north; proceed along the proposed access road approximately 4,949' ± to the proposed well location.

The aforementioned dirt oil field service roads and other roads in the vicinity are constructed out of existing native materials that are prevalent to the existing area they are located in and range from clays to a sandy-clay shale material.

The roads for access during the drilling, completion and production phase will be maintained at the standards required by the State of Utah, or other controlling agencies. This maintenance will consist of some minor grader work for smoothing road surfaces and for snow removal. Any necessary fill material for repair will be purchase and hauled from private sources.

2. PLANNED ACCESS ROAD

Approximately 4,949' of access road is proposed for the proposed well. See attached Topographic Map "B".

The proposed access road will be an 20' crown road (10' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%.

There will be **no** culverts required along this access road. There will be barrow ditches and turnouts as needed along this road.

There are no fences encountered along this proposed road. There will be no new gates or cattle guards required.

All construction material for this access road will be borrowed material accumulated during construction of the access road.

3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

There are no existing facilities that will be used by this well.

It is anticipated that this well will be a producing oil well.

Upon construction of a tank battery, the well pad will be surrounded by a dike of sufficient capacity to contain at minimum 110% of the largest tank volume within the facility battery.

Tank batteries will be built to State specifications.

All permanent (on site for six (6) months or longer) structures, constructed or installed (including pumping units), will be painted a flat, non-reflective, earth tone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within six months of installation.

5. LOCATION AND TYPE OF WATER SUPPLY

Newfield Production will transport water by truck from nearest water source as determined by a Newfield representative for the purpose of drilling the above mentioned well. The available water sources are as follows:

Johnson Water District Water Right: 43-10136

Maurice Harvey Pond Water Right: 47-1358

Neil Moon Pond Water Right: 43-11787

Newfield Collector Well

Water Right: 47-1817 (A30414DVA, contracted with the Duchesne County Conservancy

District).

There will be no water well drilled at this site.

6. **SOURCE OF CONSTRUCTION MATERIALS**

All construction material for this location shall be borrowed material accumulated during construction of the location site and access road.

A mineral material application is not required for this location.

7. <u>METHODS FOR HANDLING WASTE DISPOSAL</u>

A small reserve pit (90' x 40' x 8' deep, or less) will be constructed from native soil and clay materials. The reserve pit will receive the processed drill cutting (wet sand, shale & rock) removed from the wellbore. Any drilling fluids, which do accumulate in the pit as a result of shale-shaker carryover, cleaning of the sand trap, etc., will be promptly reclaimed. All drilling fluids will be fresh water based, typically containing Total Dissolved Solids of less than 3000 PPM. No potassium chloride, chromates, trash, debris, nor any other substance deemed hazardous will be placed in this pit. Therefore, it is proposed that no synthetic liner be required in the reserve

pit. However, if upon constructing the pit there is insufficient fine clay and silt present, a liner will be used for the purpose of reducing water loss through percolation.

Newfield requests approval that a flare pit not be constructed or utilized on this location.

A portable toilet will be provided for human waste.

A trash basket will be provided for garbage (trash) and hauled away to an approved disposal site at the completion of the drilling activities.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. WELL SITE LAYOUT

See attached Location Layout Sheet.

Fencing Requirements

All pits will be fenced according to the following minimum standards:

- a) A 39-inch net wire shall be used with at least one strand of barbed wire on top of the net.
- b) The net wire shall be no more than two (2) inches above the ground. The barbed wire shall be three (3) inches above the net wire. Total height of the fence shall be at least forty-two (42) inches.
- c) Corner posts shall be centered and/or braced in such a manner to keep tight at all times
- d) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than sixteen (16) feet.
- e) All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three (3) sides during drilling operations and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

Existing fences to be crossed by the access road will be braced and tied off before cutting so as to prevent slacking in the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM specifications.

10. PLANS FOR RESTORATION OF SURFACE:

a) Producing Location

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, material, trash and junk not required for production.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximated natural contours. Weather permitting, the reserve pit will be reclaimed within one hundred twenty (120) days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons removed.

b) Dry Hole Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and the State of Utah will attach the appropriate surface rehabilitation conditions of approval.

11. <u>SURFACE OWNERSHIP</u> – Kenneth and Nancy Moon (Proposed Location). See the attached Memorandum of Right of Way and Surface Use Agreement.

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area will be forthcoming.

Newfield Production Company requests 4,949' of planned access road to be granted. Refer to Topographic Map "B". Newfield Production Company requests 899' of surface gas line to be granted. Newfield Production Company requests 947' of buried water line to be granted.

It is proposed that the disturbed area will be 60' wide to allow for construction of the proposed access road, a 10" or smaller gas gathering line, a 4" poly fuel gas line, a buried 10" steel water injection line, a buried 3" poly water return line, and a and a 14" surface flow line. The planned access road will consist of a 20' permanent running surface (10' either side of the centerline) crowned and ditched in order to handle any run-off from any precipitation events that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be turnouts as needed along this road to allow for increases in potential traffic issues. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Both the proposed surface gas and buried water lines will tie in to the existing pipeline infrastructure. Refer to Topographic Map "C." The proposed water pipelines will be buried in a 4-5' deep trench constructed with a trencher or backhoe for the length of the proposal. The equipment will run on the surface and not be flat bladed to minimize surface impacts to precious topsoil in these High Desert environments. If possible, all proposed surface gas pipelines will be installed on the same side of the road as existing gas lines. The construction phase of the planned access road, proposed gas lines and proposed water lines will last approximately (5) days.

In the event that the proposed well is converted to a water injection well, a Sundry Notice 3160-5 form will be applied for through the Bureau of Land Management field office.

- a) Newfield Production Company is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, Newfield is to immediately stop work that might further disturb such materials and contact the Authorized Officer.
- Newfield Production will control noxious weeds along rights-of-way for roads, pipelines, well sites or other applicable facilities. On State administered land it is required that a Pesticide Use Proposal shall be submitted and given approval prior to the application of herbicides or other possible hazardous chemicals.
- c) Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on State Lands after the conclusion of drilling operations or at any other time without State authorization. However, if State authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities.

Surface Flow Line

Newfield requests 933' of surface flow line be granted. The Surface Flow Line will consist of up to a 14" bundled pipe consisting of 2-2" poly glycol lines and 1-3" production line. For all new wells, Newfield. **Refer to Topographic Map "C"** for the proposed location of the proposed flow line. Flow lines will be tan and will be constructed using the following procedures:

<u>Clearing and Grading</u>: No clearing or grading of the ROW will be required. The centerline of the proposed route will be staked prior to installation. Flow lines shall be placed as close to existing roads as possible without interfering with normal road travel or road maintenance activities. Due to the proximity of existing facilities, no temporary use or construction/storage areas are anticipated. If necessary, temporary use or construction/storage areas will be identified on a topographic map included in the approved permit.

<u>Installation</u>: The proposed flow lines will be installed 4-6" above the ground. For portions along existing two-track and primary access roads, lengths of pipe will be strung out in the borrow ditch, welded together, and rolled or dragged into place with heavy equipment. For pipelines that are installed cross-country (not along existing or proposed roads), travel along the lines will be infrequent and for maintenance needs only. No installation activities will be performed during periods when the soil is too wet to adequately support installation equipment. If such equipment creates ruts in excess of three (3) inches deep, the soil will be deemed too wet to adequately support the equipment.

Water Disposal

After first production, if the production water meets quality guidelines, it will be transported to the Ashley, Monument Butte, Jonah, South Wells Draw and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project. Water not meeting quality criteria, will be disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E), Federally approved surface disposal facilities or at a State of Utah approved surface disposal facilities.

Additional Surface Stipulations

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws and regulations, Onshore Oil and Gas Orders, the approved plan of operations and any applicable Notice to Lessees. A copy of these conditions will be furnished to the field representative to ensure compliance.

Hazardous Material Declaration

Newfield Production Company guarantees that during the drilling and completion of the Ute Tribal 2-22-4-3W, Newfield will not use, produce, store, transport or dispose 10,000# annually of any of the hazardous chemicals contained in the Environmental Protection Agency's consolidated list of chemicals subject to reporting under Title III Superfund Amendments and Reauthorization Act (SARA) of 1986. Newfield also guarantees that during the drilling and completion of the Ute Tribal 2-22-4-3W, Newfield will use, produce, store, transport or dispose less than the threshold planning quantity (T.P.Q.) of any extremely hazardous substances as defined in 40 CFR 355.

A complete copy of the approved APD, if applicable, shall be on location during the construction of the location and drilling activities.

Newfield Production Company or a contractor employed by Newfield Production shall contact the State office at (801) 722-3417, 48 hours prior to construction activities.

The State office as well as the Ute Tribe Energy and Mineral Department shall be notified upon site completion prior to moving on the drilling rig.

13. **LESSEE'S OR OPERATOR'S REPRENSENTATIVE AND CERTIFICATION:**

Representative

Name:

Tim Eaton

Address:

Newfield Production Company

Route 3, Box 3630 Myton, UT 84052

Telephone:

(435) 646-3721

Certification

Please be advised that Newfield Production Company is considered to be the operator of well #2-22-4-3W, NW/NE Section 22, T4S, R3W, Duchesne County, Utah and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage for this well is covered by the Bureau of Indian Affairs Bond #RLB0010462.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.

3/29/11

Date

Mandle Crozier
Regulatory Specialist

Newfield Production Company

2-M SYSTEM

Blowout Prevention Equipment Systems








EXHIBIT C









ON-SITE PREDRILL EVALUATION

Utah Division of Oil, Gas and Mining

Operator NEWFIELD PRODUCTION COMPANY

Well Name Ute Tribal 2-22-4-3W

API Number 43013506700000 APD No 3609 Field/Unit WILDCAT

Location: 1/4,1/4 NWNE **Sec** 22 **Tw** 4.0S **Rng** 3.0W 573 FNL 2125 FEL **GPS Coord (UTM)** 567616 4441849 **Surface Owner** Ken and Nancy Moon

Participants

Richard Powell (DOGM), Tim Eaton (Newfield), Jana Simonsen (BLM), Corie Miller (Tristate Land Surveying)

Regional/Local Setting & Topography

The location sits on the west side approximately half way up the slope of a big north sloping draw on the South Myton Bench. The mouth of the draw opens up about 1 mile below to agricultural lands. There is a canal which borders the south side of the farm land where this location drains toward. The Duchesne River lies approximately 2.5 miles farther north. Myton, UT sits approximately 9 miles north east.

Surface Use Plan

Current Surface Use

Grazing

Wildlfe Habitat

New Road Miles Well Pad Src Const Material Surface Formation

0.94 Width 154 Length 305 Onsite UNTA

Ancillary Facilities N

Waste Management Plan Adequate?

Environmental Parameters

Affected Floodplains and/or Wetlands N

Flora / Fauna

Pronghorn, rabbit, rodents, coyote, song birds, raptors Sage, grasses, shadscale

Soil Type and Characteristics

Sandy clay soil, covered with fractured rock

Erosion Issues N

Sedimentation Issues N

Site Stability Issues N

Drainage Diverson Required? N

Berm Required? N

Erosion Sedimentation Control Required? N

7/7/2011 Page 1

Paleo Survey Run? N Paleo Potental Observed? N Cultural Survey Run? Y Cultural Resources? N

Reserve Pit

Site-Specific Factors	Site Ranking	
Distance to Groundwater (feet)	>200 0	
Distance to Surface Water (feet)	>1000 0	
Dist. Nearest Municipal Well (ft)	>5280 0	
Distance to Other Wells (feet)	>1320 0	
Native Soil Type	Mod permeability 10	
Fluid Type	Fresh Water 5	
Drill Cuttings	Normal Rock 0	
Annual Precipitation (inches)	10 to 20 5	
Affected Populations		
Presence Nearby Utility Conduits	Not Present 0	
	Final Score 20	1 Sensitivity Level

Characteristics / Requirements

The reserve pit will be place in cut in a stable location. The pit will be 40ft x 80ft x 8ft deep. Tim Eaton of Newfield said they will use a 16 mil liner with a felt sub-liner.

Closed Loop Mud Required? N Liner Required? Y Liner Thickness 12 Pit Underlayment Required? Y

Other Observations / Comments

Richard Powell

Evaluator

6/16/2011

Date / Time

7/7/2011 Page 2

Application for Permit to Drill Statement of Basis

7/7/2011 Utah Division of Oil, Gas and Mining

Page 1

APD No	API WellNo	Status	Well Type	Surf Owner	CBM
3609	43013506700000	LOCKED	OW	P	No
Operator	NEWFIELD PRODUCTION	ON COMPANY	Surface Owner-APD	Ken and Nanc	y Moon
Well Name	Ute Tribal 2-22-4-3W		Unit		
Field	WILDCAT		Type of Work	DRILL	
Location	NWNE 22 4S 3W U	J 573 FNL 2125 FE	EL GPS Coord (UTM)	567625E 4441	836N

Geologic Statement of Basis

The mineral rights for the proposed well are owned by the Ute Tribe. The BLM will be the agency responsible for evaluating and approving the drilling, casing and cement programs.

Brad Hill
APD Evaluator
Date / Time

Surface Statement of Basis

This onsite evaluation was scheduled by Jana Simonsen of the BLM in cooperation Tim Eaton of Newfield Exploration. According to both Ms. Simonsen and Mr. Eaton, the surface owner, Kenneth Moon was invited but chose not to participate in this onsite evaluation. This site appears to be stable and inside the drilling window. No drainages are being effected. Ms. Simonsen of the BLM stated that she had no concerns with the sighting of this well. It appears to be a good location.

Richard Powell
Onsite Evaluator
Date / Time

Conditions of Approval / Application for Permit to Drill

Category	Condition

Pits A synthetic liner with a minimum thickness of 12 mils with a felt subliner shall be properly installed and maintained in the

reserve pit.

Surface The well site shall be bermed to prevent fluids from leaving the pad.

Surface The reserve pit shall be fenced upon completion of drilling operations.

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 3/31/2011 **API NO. ASSIGNED:** 43013506700000

WELL NAME: Ute Tribal 2-22-4-3W

OPERATOR: NEWFIELD PRODUCTION COMPANY (N2695) **PHONE NUMBER:** 435 646-4825

CONTACT: Mandie Crozier

PROPOSED LOCATION: NWNE 22 040S 030W Permit Tech Review:

> SURFACE: 0573 FNL 2125 FEL **Engineering Review:**

BOTTOM: 0573 FNL 2125 FEL Geology Review:

COUNTY: DUCHESNE LATITUDE: 40.12603 UTM SURF EASTINGS: 567625.00

FIELD NAME: WILDCAT

LEASE NUMBER: 14-20-H62-6380 PROPOSED PRODUCING FORMATION(S): GREEN RIVER

SURFACE OWNER: 4 - Fee

LEASE TYPE: 2 - Indian

RECEIVED AND/OR REVIEWED:

✓ PLAT

Bond: INDIAN - RLB0010462

Potash

Oil Shale 190-5

Oil Shale 190-3

Oil Shale 190-13

Water Permit: 437478

RDCC Review: 2011-07-0<mark>7 0</mark>0:00:00.0

✓ Fee Surface Agreement

Intent to Commingle

Commingling Approved

LOCATION AND SITING:

R649-2-3.

Unit:

R649-3-2. General

R649-3-3. Exception

Drilling Unit

Board Cause No: R649-3-2

LONGITUDE: -110.20633 NORTHINGS: 4441836.00

COALBED METHANE: NO

Effective Date:

Siting:

R649-3-11. Directional Drill

Comments: Presite Completed

Stipulations:

4 - Federal Approval - dmason 5 - Statement of Basis - bhill 21 - RDCC - dmason 23 - Spacing - dmason

API Well No: 43013506700000



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: Ute Tribal 2-22-4-3W **API Well Number:** 43013506700000

Lease Number: 14-20-H62-6380 **Surface Owner:** FEE (PRIVATE)

Approval Date: 7/7/2011

Issued to:

NEWFIELD PRODUCTION COMPANY, Rt 3 Box 3630, Myton, UT 84052

Authority:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of R649-3-2. The expected producing formation or pool is the GREEN RIVER Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

The Application for Permit to Drill has been forwarded to the Resource Development Coordinating Committee for review of this action. The operator will be required to comply with any applicable recommendations resulting from this review. (See attached)

This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis (copy attached).

API Well No: 43013506700000

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at http://oilgas.ogm.utah.gov

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

For John Rogers Associate Director, Oil & Gas Form 3160 - 3 (August 2007)

UNITED STATES
DEPARTMENT OF THE INTERIOR 2 0 2011
BUREAU OF LAND MANAGER CO.

APPLICATION FOR PERMIT TO THE READ THE NITE OF THE NIT

FORM APPROVED OMB No. 1004-0137 Expires July 31, 2010

5. Lease Serial No. 14-20-H62-6380

6. If Indian, Allotee or Tribe Name

~	2 man v 1 v mm 1 ti 47 time 4 ti 77	,				
la. Type of work: DRILL REENTI	ER		7. If Unit or CA Agr NA	eement, Name and No.		
lb. Type of Well: Oil Well Gas Well Other	Single Zone Mul	tiple Zone	8. Lease Name and Well No. Ute Tribal 2-22-4-3W			
Name of Operator Newfield Production Company			9. API Well No. 43-013-5	701070		
3a. Address Route #3 Box 3630, Myton UT 84052		10. Field and Pool, or Exploratory Undesignated				
Location of Well (Report location clearly and in accordance with an At surface NW/NE 573' FNL 2125' FEL At proposed prod. zone	ty State requirements.*)		11. Sec., T. R. M. or Bik.and Survey or Area Sec. 22, T4S R3W			
Distance in miles and direction from nearest town or post office* Approximately 14.0 miles southwest of Myton, UT			12. County or Parish Duchesne	13. State UT		
15. Distance from proposed* location to nearest property or lease line, ft. Approx. 573' f/lse, NA' f/unit (Also to nearest drig. unit line, if any)	16. No. of acres in lease NA	17. Spacing	acing Unit dedicated to this well 40 Acres			
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 1,334'	19. Proposed Depth 7,825'		IA Bond No. on file _B0010462			
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5501' GL	22. Approximate date work will st	2011	Estimated duration (7) days from SPUD to rig release			
	24. Attachments					
 The following, completed in accordance with the requirements of Onshor Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office). 	4. Bond to cover Item 20 above) Lands, the 5. Operator certif	the operations	s unless covered by an	existing bond on file (see		
25. Signature (Italian Specialist	Name (Printed/Typed) Mandie Crozier			Date 5/19/11		
Regulatory Specialist Approved by (Signature)	Name (Printed Bredly 1	(enczk	a	Date AUG 3 1 201		
Assistant Field Manager Lands & Mineral Resources	Office VERNA	AL FIELD	OFFICE			
Application approval does not warrant or certify that the applicant holds conduct operations thereon. Conditions of approval, if any, are attached.	s legal or equitable title to those rig			entitle the applicant to		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a cristates any false, fictitious or fraudulent statements or representations as to	ime for any person knowingly and			or agency of the United		

SEP 0 6 2011

RECEIVED

DIV. OF OIL, GAS & MINING

11880698A

*(Instructions on page 2)



(Continued on page 2)



UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT** VERNAL FIELD OFFICE

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No:

Newfield Production Company

Ute Tribal 2-22-4-3W

API No: 43-013-50670 Location: Lease No:

NWNE, Sec. 22, T4S, R3W

14-20-H62-6380

Agreement:

N/A

OFFICE NUMBER:

(435) 781-4400

OFFICE FAX NUMBER: (435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Construction Activity (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	-	The Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist shall be notified at least 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday.
Construction Completion (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	-	Upon completion of the pertinent APD/ROW construction, notify the Ute Tribe Energy & Minerals Dept. for a Tribal Technician to verify the Affidavit of Completion. Notify the BLM Environmental Scientist prior to moving on the drilling rig.
Spud Notice (Notify BLM Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify BLM Supv. Petroleum Tech.)	_	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: ut vn opreport@blm.gov.
BOP & Related Equipment Tests (Notify BLM Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify BLM Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

CONDITIONS OF APPROVAL:

- The edge of the pad shall avoid the drainage.
- A synthetic liner with a minimum thickness of 16 mils with a felt subliner shall be installed and maintained in the reserve pit.
- Any deviation from submitted APD's and ROW applications the operator will notify the BLM in writing and will receive written authorization of any such change with appropriate authorization.
- All operator employees and/or authorized personnel (sub-contractors) in the field will have approved applicable APD's and ROW permits/authorizations on their person(s) during all phases of construction.
- All vehicular traffic, personnel movement, construction/restoration operations shall be confined
 to the area examined and approved, and to the existing roadways and/or evaluated access
 routes.
- All permanent surface equipment (meaning on site for six months or longer) will be painted Covert Green to match the surrounding landscape color unless otherwise authorized. This will include all facilities except those required to comply with Occupational Safety and Health Act (OSHA) regulations.
- Reclamation will be completed in accordance with the recontouring and reseeding procedures outlined in the Newfield Exploration Company Castle Peak and Eight Mile Flat Reclamation Plan on file with the Vernal Field Office of the BLM, unless otherwise specified by the private surface owner.
- The surface conditions as set forth by the owner(s) and/or agencies.

Page 3 of 6 Well: Ute Tribal 2-22-4-3W 8/30/2011

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

- Newfield Production Co. shall adhere to all referenced requirements in the SOP (version: "Ute Tribe Green River Development Program", April 17, 2008). The Operator shall also comply with applicable laws and regulations; with lease terms, Onshore Oil and Gas Orders, NTL's; and with other orders and instructions of the authorized officer.
- Variances shall be granted for the air drilling of the surface hole to 500 feet, from Onshore Order 2, III as listed in Section 9.0 of the Ute Tribe Green River SOP.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.

Page 4 of 6 Well: Ute Tribal 2-22-4-3W 8/30/2011

- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water
 is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM
 Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the <u>top of cement</u> and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 5 of 6 Well: Ute Tribal 2-22-4-3W 8/30/2011

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written
 communication and must be received in this office by not later than the fifth business day
 following the date on which the well is placed on production. The notification shall provide, as a
 minimum, the following informational items:
 - o Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and/or participating area name and number, if applicable.
 - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if

Page 6 of 6 Well: Ute Tribal 2-22-4-3W 8/30/2011

performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field
 Office Petroleum Engineers will be provided with a date and time for the initial meter calibration
 and all future meter proving schedules. A copy of the meter calibration reports shall be
 submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API
 standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All
 measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
 first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

Sundry Number: 27010 API Well Number: 43013506700000

STATE OF UTAH DEPARTMENT OF NATURE RESOURCES DIVISION OF OIL, GAS, AND MINING SUDDIVISION OF OIL, GAS, AND MINING SUDDIVISION OF OIL, GAS, AND MINING SUDDIVISION OF OIL, GAS, AND MINING OF PROMIT OF PROPERTY OF PROPERT				FORM 0
DIVISION OF OIL, GAS, AND MINING SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reserve higuaged wells, or to drill horizontal laterals. Use APPLICATION POR PERMIT TO PRILL form for such proposals. 1. TYPE OF MELL Oil World S. WELL NAME and HUMBER: UTE TRIBAL 2:224-39 2. ANAME OF OPERATOR: NEWHELD PRODUCTION COMPANY NAME (PLEASE PRINT) Mande				FORM 9
Do not use this form for proposals to drill new wells, significantly despen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION PROPERTY TO DRILL form for such proposals. 1. TYPE OF WELL OIL Well 2. NAME OF DREATOR. NEWFELD PRODUCTION COMPANY 3. APPLICATION 3. APPLICATION 4. SOUTH WITHOUT SUBJECT STATES STORY OF STATES STATE				
CUTRENT DOTRILL From For Plugged wells, or to drill horizontal laterals. Use APPLICATION TYPE OF WELL INTER O	SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
UTE TRIBAL 2-22-4-3W 2. NAME OF DERRATOR: NEWFIELD PRODUCTION COMPANY 3. ADDRESS OF OPERATOR: RY 3 BOX 3830, Mylon, UT, 8-8052 4. SO 44 55 0, Mylon, UT, 8-8052 4. SO 47 50, Mylon, UT, 8-8052 4. SO 47 50, Mylon, UT, 8-8052 4. SO 47 50, Mylon, UT, 8-8052 4. SO 47 57 FNL 2125 FEL OGTOTAGE SA STRACE: GOST 5 FNL 2125 FEL OGTOTAGE SA STRACE: GOST 5 FNL 2125 FEL OTHOR TR. SECTION, TOWNSHIP, RANGE, MERIDIAN: CHICK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF WARD CONSIDER THE TOWN OF THE	current bottom-hole depth,	reenter plugged wells, or to drill horizont		7.UNIT or CA AGREEMENT NAME:
NAME (PLEASE PRINT) NAME (
RES BOX 3630, Myton, UT, 84052 435 646-4825 Ext SQUTMYTON BENCH LOCATION OF WELL FOOTAGES AT SURFACE: 0573 RN 2 125 FEL OTROITR, SECTION, TOWNSHIP, RANGE, MERIDIAN: QUIT/QUT: NWINE Section: 22 Township: 04.05 Range: 03.0W Meridian: U TYPE OF SUBMISSION TYPE OF ACTION **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION **ACIDIZE** ALTER CASING** CANDOR EVENT* CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION **NOTICE OF RETEXT** ACIDIZE** ALTER CASING** CANDOR EVENT* CHANGE WELL STATUS** COMMENT TURING** CHANGE WELL STATUS** CHANGE WELL STATUS** CHECK APPROPRIATIONS CHANGE TURING** CHANGE WELL STATUS** CHECK APPROPRIATIONS CHANGE TURING** CHANGE WELL STATUS** CHECK APPROPRIATIONS CHANGE TURING** CHANGE WELL STATUS** CHANGE WELL STATUS** CHECK APPROPRIATIONS STAT OR RESUME** SPICE REPORT OF WILL STATUS EXTENSION PLUE AND ALEASOON PLUE AND		OMPANY		I .
DOUGHESNE STATE: UT/212 FEEL OTROITE, SECTION, TOWNSHIP, RANGE, MERIDIAN: TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE ALTER CASING COMMENT TURNIG ACIDIZE ALTER CASING COMMENT TURNIG COMMENT TURNIG PRACTURE TREAT AND ACTORISTORY MEN CONSTRUCTION PRODUCTION STATAT OR RESUME RECOMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Newfield proposes to extend the Application for Permit to Drill this well For one year. NAME (PLEASE PRINT) NAME (PLEASE PRINT) MAME (
ORILING REPORT AME (PLEASE PRINT) CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION	FOOTAGES AT SURFACE:			
TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE			an: U	
A CIDIZE APPROVIDED INTERT A POPTICE OF INTERT A POPTICITIANS (SIN MATE: 7/7/2012 CHANGE TO PREVIOUS PLANS CHANGE TUBBAG CHANGE WILL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE		K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
Appreciated sevent will start: 7/7/2012 GHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE WELL NAME	TYPE OF SUBMISSION		TYPE OF ACTION	
Approximate date work will start: 7/7/2012 GIANGE TO PREVIOUS PLANS GOMMINGE TUBBIG GOMMING PRODUCING FORMATIONS GONVERT WELL TYPE GUANGE WELL STATUS GOMMINGE PRODUCING FORMATIONS GONVERT WELL TYPE GUANGE WELL STATUS GOMMINGE PRODUCING FORMATIONS GONVERT WELL TYPE GOVERNMENT TREAT GOVERNMENT TO PREVIOUS PRACTICUM. GOVERNMENT TO PRACTICUM. GOVERNMENT T		ACIDIZE	ALTER CASING	CASING REPAIR
CHANGE WELL STATUS		CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Date of Work Completion: OPERATOR CHANGE	7/7/2012	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
Date of Work Completion: OPERATOR CHANGE	SUBSEQUENT REPORT		ERACTURE TREAT	NEW CONSTRUCTION
SPUD REPORT REPERFORATE CURRENT FORMATION SIDETRACK TO REPAR WELL TEMPORARY ABANDON			- · ·	
SPUD REPORT Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WATER DISPOSAL TUBING REPAIR VENT OR FLARE WATER DISPOSAL VENT OR FLARE VENT OR FL				
TUBING REPAIR TUBING REPAIR TUBING REPAIR WATER SHUTOFF WATER SHUTOFF WILDCAT WELL DETERMINATION TOTHER 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Newfield proposes to extend the Application for Permit to Drill this well of or one year. Newfield proposes to extend the Application for Permit to Drill this well of oil, Gas and Mining Date: June 28, 2012 By: NAME (PLEASE PRINT) Mandie Crozier 435 646-4825 PHONE NUMBER TITLE Regulatory Tech SIGNATURE DATE				
DRILLING REPORT Report Date: WILDCAT WELL DETERMINATION OTHER: 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Newfield proposes to extend the Application for Permit to Drill this well for one year. NAME (PLEASE PRINT) Mandie Crozier HONE NUMBER A35 646-4825 PHONE NUMBER TITLE Regulatory Tech SIGNATURE DATE	Date or Spud:		☐ SIDETRACK TO REPAIR WELL ☐	
NAME (PLEASE PRINT) Mandie Crozier Newford Detail Determination Other Other		L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Newfield proposes to extend the Application for Permit to Drill this well for one year. Approved by the Utah Division of Oil, Gas and Mining Date: June 28, 2012 By: NAME (PLEASE PRINT) PHONE NUMBER 435 646-4825 Regulatory Tech SIGNATURE DATE		WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Newfield proposes to extend the Application for Permit to Drill this well for one year. Approved by the Utah Division of Oil, Gas and Mining Date: June 28, 2012 By: NAME (PLEASE PRINT) Mandie Crozier 435 646-4825 PHONE NUMBER Regulatory Tech SIGNATURE DATE		WILDCAT WELL DETERMINATION	OTHER	OTHER:
for one year. Color of Oil, Gas and Mining Date: June 28, 2012	12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates, o	depths, volumes, etc.
NAME (PLEASE PRINT) Mandie Crozier PHONE NUMBER 435 646-4825 PHONE NUMBER Regulatory Tech SIGNATURE Oil, Gas and Mining Date: June 28, 2012 By: TITLE Regulatory Tech DATE	Newfield proposes		Permit to Drill this well	
NAME (PLEASE PRINT) Mandie Crozier 435 646-4825 SIGNATURE PHONE NUMBER Regulatory Tech DATE		for one year.		
NAME (PLEASE PRINT) Mandie Crozier 435 646-4825 SIGNATURE PHONE NUMBER TITLE Regulatory Tech DATE				Date: June 28, 2012
Mandiè Crozier 435 646-4825 Regulatory Tech SIGNATURE DATE				F 00 cut 00
Mandiè Crozier 435 646-4825 Regulatory Tech SIGNATURE DATE				
Mandiè Crozier 435 646-4825 Regulatory Tech SIGNATURE DATE				
Mandiè Crozier 435 646-4825 Regulatory Tech SIGNATURE DATE				
Mandiè Crozier 435 646-4825 Regulatory Tech SIGNATURE DATE				
Mandiè Crozier 435 646-4825 Regulatory Tech SIGNATURE DATE				
SIGNATURE DATE				

Sundry Number: 27010 API Well Number: 43013506700000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013506700000

API: 43013506700000 Well Name: UTE TRIBAL 2-22-4-3W

Location: 0573 FNL 2125 FEL QTR NWNE SEC 22 TWNP 040S RNG 030W MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 7/7/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

owing to a officerior of come from related to the approacher, which checked be verified.
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of the proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect to proposed location? Yes No
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
nature: Mandie Crozier Date: 6/22/2012

Sig

Sundry Number: 38604 API Well Number: 43013506700000

			FORM	
STATE OF UTAH			FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6380	
SUNDF	RY NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 2-22-4-3W	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		9. API NUMBER: 43013506700000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: SOUTH MYTON BENCH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0573 FNL 2125 FEL			COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 22 Township: 04.0S Range: 03.0W Merid	ian: U	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
7/7/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN [FRACTURE TREAT	☐ NEW CONSTRUCTION	
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
	l — -			
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION	
Date or Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
	L TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates, o	depths, volumes, etc.	
Newfield proposes	to extend the Application for I	Permit to Drill this well	Approved by the	
	for on year.		Utah Division of Oil, Gas and Mining	
			Date: June 05, 2013	
			By: Bally Still	
NAME (PLEASE PRINT)	PHONE NUMBE	R TITLE		
Mandie Crozier	435 646-4825	Regulatory Tech		
SIGNATURE N/A		DATE 6/4/2013		

Sundry Number: 38604 API Well Number: 43013506700000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013506700000

API: 43013506700000 Well Name: UTE TRIBAL 2-22-4-3W

Location: 0573 FNL 2125 FEL QTR NWNE SEC 22 TWNP 040S RNG 030W MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 7/7/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? 🔵 Yes 🌘 No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
unature: Mandie Crozier Date: 6/4/2013

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

AUG 19 2013

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

Expires:	July	<u>31,</u>
Lease Serial No.		
14201422220		

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drillion to release abandoned well. Use form 3160-3 (APD) for such proposals.

6 It Indian, Allottee or Tribe Name

			VI VO	Hu		
SUBMIT IN TRI	PLICATE - Other instruc	tions on rev	erse side.	•	7. If Unit or CA/Agree NA	ement, Name and/or No.
1. Type of Well Gas Well Other			8. Well Name and No. UTE TRIBAL 2-22	-4-3W		
Name of Operator NEWFIELD PRODUCTION	Contact: E-Mail: mcrozier@	MANDIE H newfield.com	CROZIER		9. API Well No. 43-013-50670	
3a. Address ROUTE 3 BOX 3630 MYTON, UT 84052		3b. Phone No Ph: 435-64	o. (include area code 16-4825	;)	10. Field and Pool, or UNDESIGNATE	Exploratory D
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description,)			11. County or Parish, a	and State
Sec 22 T4S R3W Mer UBM NWNE 573FNL 2125FEL			DUCHESNE CO	DUNTY, UT		
12. СНЕСК АРР	ROPRIATE BOX(ES) TO) INDICATE	NATURE OF	NOTICE,	REPORT, OR OTHER	R DATA
TYPE OF SUBMISSION			ТҮРЕ О	F ACTION		
Notice of Intent	☐ Acidize	☐ Dee	pen	☐ Prod	action (Start/Resume)	☐ Water Shut-Off
_	☐ Alter Casing	☐ Frac	cture Treat	☐ Recla	mation	■ Well Integrity
☐ Subsequent Report	□ Casing Repair	□ Nev	v Construction	□ Reco	mplete	Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plu	g and Abandon	☐ Temp	orarily Abandon	Change to Original A PD
	☐ Convert to Injection	🗖 Plu	g Back	□ Wate	r Disposal	
13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. of file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Newfield requests to extend the Application for Permit to Drill this well for two more years. The original APD was approved on 8/31/11. DIV.OFOIL GASSMINING CONDITIONS OF APPROVAL ATTACHED DIV.OFOIL GASSMINING E.S						
Name (Original / Trans) MANDIE	Committed to AFMSS for	ELD PRODUC	TION, sent to the by LESLIE BUHI	e Vernal LER on 08/	27/2013 ()	
Name (Printed/Typed) MANDIE I	H CROZIER		Title REGUL	_ATORY A	NALYST	
Signature (Electronic S	ubmission)	·	Date 08/19/2	2013		
THIS SPACE FOR FEDERAL OR STATE OFFICE USE						
Approved By			Title La	Assistan ands & M	t Field Manager lineral Resources	OGT 2 9 2013
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conduction	itable title to those rights in the	not warrant or subject lease	Office	VERN	AL FIELD OFFICI	
itle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.						

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMI

CONDITIONS OF APPROVAL

Newfield Exploration Company

Notice of Intent APD Extension

Lease:

1420H626380

Well:

Ute Tribal 2-22-4-3W

Location:

NWNE Sec 22-T4S-R3W

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 08/31/2015.
- 2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Robin L Hansen of this office at (435) 781-2777

Sundry Number: 51133 API Well Number: 43013506700000

			FORM 9
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES			
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6380
SUNDR	RY NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly dee reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 2-22-4-3W
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	DMPANY		9. API NUMBER: 43013506700000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		ONE NUMBER: xt	9. FIELD and POOL or WILDCAT: SOUTH MYTON BENCH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0573 FNL 2125 FEL			COUNTY: DUCHESNE
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 22 Township: 04.0S Range: 03.0W Meridia	n: U	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
7/7/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
Date of Spau.	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
_	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
Newfield proposes t	COMPLETED OPERATIONS. Clearly show all post of extend the Application for Pe	ermit to Drill this well.	
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech	
SIGNATURE N/A		DATE 5/13/2014	

Sundry Number: 51133 API Well Number: 43013506700000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013506700000

API: 43013506700000 Well Name: UTE TRIBAL 2-22-4-3W

Location: 0573 FNL 2125 FEL QTR NWNE SEC 22 TWNP 040S RNG 030W MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 7/7/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Mandie Crozier Date: 5/13/2014

Sundry Number: 64114 API Well Number: 43013506700000

			FORM 9	
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES				
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6380	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly dee reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 2-22-4-3W	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	DMPANY		9. API NUMBER: 43013506700000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		IONE NUMBER: xt	9. FIELD and POOL or WILDCAT: SOUTH MYTON BENCH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0573 FNL 2125 FEL			COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 22 Township: 04.0S Range: 03.0W Meridia	n: U	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
7/7/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
_	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Newfield proposes to extend the Application for Permit to Drill this well. Approved by the UtarheD3is2015 foil, Gas and Mining Date: By:				
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech		
SIGNATURE	700 070-7020	DATE		
N/A		6/23/2015		

Sundry Number: 64114 API Well Number: 43013506700000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013506700000

API: 43013506700000 Well Name: UTE TRIBAL 2-22-4-3W

Location: 0573 FNL 2125 FEL QTR NWNE SEC 22 TWNP 040S RNG 030W MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 7/7/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Mandie Crozier Date: 6/23/2015

Sig



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

September 10, 2015

Mandie Crozier **Newfield Production Company** Rt 3 Box 3630 Myton, UT 84052

Re:

APDs Rescinded for Newfield Production Company,

Uintah and Duchesne County

Dear Ms. Crozier:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded as of September 9, 2015.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

Jane Mason

cc:

Well File

Bureau of Land Management, Vernal



43-047-40506	Ute Tribal 9-35-4-1E
43-013-50879	GMBU 8A-14-9-16
43-047-39660	Ute Tribal 11-35-4-1E
43-047-50634	Ute Tribal 7-11-4-1
43-013-50662	Ute Tribal 5-13-4-2W
43-013-50666	Ute Tribal 16-13-4-3W
43-013-50419	Ute Tribal 3-13-4-2W
43-013-50663	Ute Tribal 6-13-4-2W
43-013-30859	Ute Tribal 7-30R-4-2
43-013-50664	Ute Tribal 10-13-4-3W
43-013-50665	Ute Tribal 12-13-4-3W
43-013-50667	Ute Tribal 10-15-4-3W
43-013-50668	Ute Tribal 16-15-4-3W
43-013-50669	Ute Tribal 1-22-4-3W
43-013-50670	Ute Tribal 2-22-4-3W
43-047-36711	Federal 9-28-8-18
43-047-39818	Federal 5-5-9-19
43-047-39861	Federal 6-5-9-19
43-047-39862	Federal 7-5-9-19
43-047-39863	Federal 9-5-9-19
43-047-39864	Federal 10-5-9-19
43-047-39865	Federal 14A-5-9-19
43-047-39866	Federal 16-5-9-19
43-047-39874	Federal 2-6-9-19
43-047-39875	Federal 3-6-9-19
43-047-39876	Federal 6-6-9-19
43-047-39877	Federal 10-6-9-19
43-047-39880	Federal 9-7-9-19
43-047-40384	Federal 13-21-8-18
43-047-40383	Federal 1-28-8-18
43-047-39816	Federal 3-5-9-19
43-047-39817	Federal 4-5-9-19
43-047-50537	Federal 2-7-9-19
43-047-50538	Federal 10-7-9-19
43-013-50163	Ute Tribal 16-26-4-3
43-047-40505	Ute Tribal 10-35-4-1E
43-047-39878	Federal 3A-7-9-19
43-047-39879	Federal 6-7-9-19
43-047-39881	Federal 11-7-9-19
43-047-50970	Greater Mon Butte 13-7-9-19
43-047-50993	Greater Mon Butte 12-7-9-19
43-047-51032	Greater Mon Butte 4-8-9-19
43-047-51033	Greater Mon Butte 7-8-9-19
43-047-51112	Ute Tribal 6-24-4-1
43-047-51907	GMBU 13-31-8-19

43-047-51907 GMBU 13-31-8-19 43-047-51909 GMBU 14-31-8-19 Sundry Number: 66025 API Well Number: 43013506700000

STATE OF UTAH			FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-6380	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 2-22-4-3W	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	DMPANY		9. API NUMBER: 43013506700000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT,		ONE NUMBER:	9. FIELD and POOL or WILDCAT: SOUTH MYTON BENCH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0573 FNL 2125 FEL			COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 22 Township: 04.0S Range: 03.0W Meridian	n: U	STATE: UTAH	
11. CHECK	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
NOTICE OF INTENT Approximate date work will start: 9/9/2015 SUBSEQUENT REPORT Date of Work Completion:	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME	ALTER CASING CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT PLUG AND ABANDON RECLAMATION OF WELL SITE SIDETRACK TO REPAIR WELL	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON	
☐ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE SI TA STATUS EXTENSION	WATER DISPOSAL APD EXTENSION	
Report Date:		OTHER	OTHER: Rescind APD	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Newfield would like to rescind the following APD since it has expired with the Bureau of Land Management. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 10, 2015 NAME (PLEASE PRINT) PHONE NUMBER TITLE				
Mandie Crozier	435 646-4825	Regulatory Tech		
SIGNATURE N/A		DATE 9/9/2015		



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

September 10, 2015

Mandie Crozier **Newfield Production Company** Rt 3 Box 3630 Myton, UT 84052

Re: APDs Rescinded for Newfield Production Company,

Uintah and Duchesne County

Dear Ms. Crozier:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded as of September 9, 2015.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely.

Environmental Scientist

Well File cc:

Bureau of Land Management, Vernal



43-047-40506	Ute Tribal 9-35-4-1E
43-013-50879	GMBU 8A-14-9-16
43-047-39660	Ute Tribal 11-35-4-1E
43-047-50634	Ute Tribal 7-11-4-1
43-013-50662	Ute Tribal 5-13-4-2W
43-013-50666	Ute Tribal 16-13-4-3W
43-013-50419	Ute Tribal 3-13-4-2W
43-013-50663	Ute Tribal 6-13-4-2W
43-013-30859	Ute Tribal 7-30R-4-2
43-013-50664	Ute Tribal 10-13-4-3W
43-013-50665	Ute Tribal 12-13-4-3W
43-013-50667	Ute Tribal 10-15-4-3W
43-013-50668	Ute Tribal 16-15-4-3W
43-013-50669	Ute Tribal 1-22-4-3W
43-013-50670	Ute Tribal 2-22-4-3W
43-047-36711	Federal 9-28-8-18
43-047-39818	Federal 5-5-9-19
43-047-39861	Federal 6-5-9-19
43-047-39862	Federal 7-5-9-19
43-047-39863	Federal 9-5-9-19
43-047-39864	Federal 10-5-9-19
43-047-39865	Federal 14A-5-9-19
43-047-39866	Federal 16-5-9-19
43-047-39874	Federal 2-6-9-19
43-047-39875	Federal 3-6-9-19
43-047-39876	Federal 6-6-9-19
43-047-39877	Federal 10-6-9-19
43-047-39880	Federal 9-7-9-19
43-047-40384	Federal 13-21-8-18
43-047-40383	Federal 1-28-8-18
43-047-39816	Federal 3-5-9-19
43-047-39817	Federal 4-5-9-19
43-047-50537	Federal 2-7-9-19
43-047-50538	Federal 10-7-9-19
43-013-50163	Ute Tribal 16-26-4-3
43-047-40505	Ute Tribal 10-35-4-1E
43-047-39878	Federal 3A-7-9-19
43-047-39879	Federal 6-7-9-19
43-047-39881	Federal 11-7-9-19
43-047-50970	Greater Mon Butte 13-7-9-19
43-047-50993	Greater Mon Butte 12-7-9-19
43-047-51032	Greater Mon Butte 4-8-9-19
43-047-51033	Greater Mon Butte 7-8-9-19
43-047-51112	Ute Tribal 6-24-4-1
43-047-51907	GMBU 13-31-8-19

43-047-51907 GMBU 13-31-8-19 43-047-51909 GMBU 14-31-8-19



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Green River District Vernal Field Office 170 South 500 East Vernal, UT 84078

http://www.blm.gov/ut/st/en/fo/vernal.html





IN REPLY REFER TO: 3160 (UTG011)

Mandie Crozier Newfield Production Company Route 3, Box 3630 Myton, UT 84052

RECEIVED

OCT 1 3 2015

Dear Mandie:

43-013

DIV. OF OIL, GAS & MINING

The referenced Applications for Permit to Drill (APD) have expired. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced applications has expired. If you intend to drill at these locations in the future, a new Application for Permit to Drill must be submitted.

Lease	Well	Aliquot	Sec., T., R.	Date Rec'd	Date Exp'd
14-20-H62-6375	Ute Tribal 10-13-4-3W 50664	NWSE	Sec. 13-T4S-R3W	4/8/2011	8/31/2015
14-20-H62-6375	Ute Tribal 12-13-4-3W50665	NWSW	Sec. 13-T4S-R3W	4/8/2011	8/31/2015
14-20-H62-6375	Ute Tribal 16-13-4-3W 50666	SESE	Sec. 13-T4S-R3W	4/8/2011	8/31/2015
14-20-H62-6376	Ute Tribal 10-15-4-3W 50667	NWSE	Sec. 15-T4S-R3W	4/8/2011	8/31/2015
14-20-H62-6376	Ute Tribal 16-15-4-3W 50668	SESE	Sec. 15-T4S-R3W	4/8/2011	8/31/2015
14-20-H62-6380	Ute Tribal 2-22-4-3W 50670	NWNE	Sec. 22-T4S-R3W	4/8/2011	8/31/2015
14-20-H62-6396	Ute Tribal 6-13-4-2W 50663	SENW	Sec. 13-T4S-R2W	4/8/2011	8/31/2015

This office requires a letter confirming that no surface disturbance has been made for these drill sites. Any surface disturbance associated with the approved location of these wells is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact Robin R. Hansen at (435) 781-3428.

Sincerely,

/s/ Jerry Kenczka

Jerry Kenczka Assistant Field Manager Lands & Mineral Resources

cc: bcc: UDOGM Well File

I&E Asst.